





Landscaping Lighting IV

Designing your lighting solutions



Wall light			19301 P02		19302/19303 P03		19304 P04		19305 P05		19306 P06
	19307 P07		19308 P08		19310/19311 P09		19312/19313 P10		19504 P11		19604 P12
	19608 P13		19703 P14		18201 P17		18202 P18		18203 P19		18204 P20
	18205 P21		18207 P22		18208 P23		18209 P24		18304 P25		18404 P26
	17101 P27		17102 P28		17103 P29		17104 P30		17105 P31		17106/17107 P32
	17201 P33		17202 P34		17203 P35		17206 P36		17208 P37		17210 P38
	17211 P39		17212 P40		17301/17302 P41		17303/17304 P42		17404 P43		17404 P45

					
13307 P91	13403/13404 P92	13405/13406 P93	13503/13504 P94	13505-13508 P95	13604 P96
					
13704 P97	13804 P98	12104 P99	12207 P101	12307 P103	12404 P104
					
12508 P105	12601/12602 P106	12603/12604 P107	11207 P109	11307 P110	11404 P111
		Lawn light			
11408 P112	116010 P114			1950 P11	1960 P13
					
1970 P14	1990 P15	1830 P25	1840 P26	1740 P43	1750 P44
					
1760 P45	1770 P46	1640 P55	1650 P56	1640 P57	1540 P68
					
1550 P69	1560 P70	1570 P71	1430 P77	1430 P78	1430 P79



					
1440 P80	1440 P81	1450 P82	1460 P83	1360 P96	1370 P97
					
1380 P98	1210 P99	1220 P100	1230 P102	1240 P104	1250 P105
					Spot light
1120 P108	1130 P110	1140 P111	1140 P112	1160 P113	
					
1910/1920 P01	1520 P66	1530 P67	18101 P16	18102 P16	WW1210 P115
					
WW1210 P116	WW1210 P117	WW1211 P118	WW1230 P119		


Muccia

Patent

Copyright reserved

NEW
PRODUCT

1910/1920 Series



Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Die-casting Aluminium; PC; Diffuser

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA V-BUS BIS
ISO9001-2015 ISO14000 BSCI

TEMPERATURE
2700K
6500K

IP65

Beam Angle
14°

Beam Angle
25°

Beam Angle
40°

Beam Angle
60°

	Lamp	Lumen	A	B	C
GL19101	LED 12W	1000LM	98	108	125
GL19102	LED 12W	1000LM	98	114	314
GL19103	LED 12W	1000LM	131	152	600
GL19201	LED 20W	1800LM	122	131	158
GL19202	LED 20W	1800LM	122	138	486
GL19203	LED 20W	1800LM	131	174	600
GL19204	GU10 Max.20W	-	122	131	158
GL19205	GU10 Max.20W	-	122	138	486
GL19206	GU10 Max.20W	-	131	174	600

Norcia

Patent

Copyright reserved

NEW
PRODUCT

19301



Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Die-casting Aluminium; PC; Diffuser

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ENEC SAA V-BUS BIS
ISO9001-2015 ISO14000 BSCI

LED
13W
TEMPERATURE
2700K
6500K

MAX.
1200
LUMENS
IP65



	Lamp	Lumen	A	B	C
GL19301	LED 13W	1200LM	230	82	81

Poreta

Patent
Copyright reserved

NEW
PRODUCT



19302/19303




Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Die-casting Aluminium; PC; Diffuser

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED 13^W	TEMPERATURE 2700K - 6500K
MAX. 1200 LUMENS	IP65



	Lamp	Lumen	A	B	C
GL19302	LED 7W	600LM	120	61	157
GL19303	LED 13W	1200LM	120	61	240


Ceselli

Patent

Copyright reserved

NEW
PRODUCT

19304



GL19304-A



GL19304-B

Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; PC; Diffuser

Body color

Black, Dark Gray, Silver Gray

Certification

CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED
13^W
TEMPERATURE
2700K
6500K

MAX.
1200
LUMENS
IP65

	Lamp	Lumen	A	B	C
GL19304-A	LED 13W	1200LM	172	52	141
GL19304-B	LED 11W	1100LM	172	52	141


Cabro

Patent

Copyright reserved

NEW
PRODUCT

19305



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; PC; Diffuser

Body color

Black, Dark Gray, Silver Gray

Certification

CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED 7 W	TEMPERATURE 2700K - 6500K
MAX. 650 LUMENS	IP65


	Lamp	Lumen	A	B	C
GL19305	LED 7W	650LM	75	49	270

Terria


Patent

Copyright reserved

**NEW
PRODUCT**



19306



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; PC; Diffuser

Body color

Black, Dark Gray, Silver Gray

Certification

CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED
3.5 W

TEMPERATURE
**2700K
6500K**

MAX.
**270
LUMENS**

IP65


	Lamp	Lumen	A	B	C
GL19306	LED 3.5W	270LM	171	75	57

Cesano


Patent

Copyright reserved

NEW
PRODUCT



19307



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; PC; Diffuser

Body color

Black, Dark Gray, Silver Gray

Certification

CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED
7 W
TEMPERATURE
2700K
6500K

MAX.
600
LUMENS
IP65

	Lamp	Lumen	A	B	C
GL19307	LED 7W	600LM	240	75	57

Voltone

Patent
Copyright reserved

**NEW
PRODUCT**



19308



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; PC; Diffuser

Body color


Black, Dark Gray, Silver Gray

Certification

CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED
30 W
TEMPERATURE
2700K
6500K

MAX.
3000
LUMENS
IP65



	Lamp	Lumen	A	B
GL19308	LED 20W	2000LM	60	250
GL19309	LED 30W	3000LM	60	320

Polgar

Patent

Copyright reserved

NEW
PRODUCT

19310/19311



GL19310



GL19311

Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; PC; Diffuser

Body color

Black, Dark Gray, Silver Gray

Certification


CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED
20^W

TEMPERATURE
2700K
6500K

MAX.
1800
LUMENS

IP65



	Lamp	Lumen	A	B
GL19310	LED 20W	1800LM	322	300
GL19311	LED 20W	1800LM	400	300

Bugiano

Patent

Copyright reserved

NEW
PRODUCT

19312/19313



GL19312



GL19313

Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; PC; Diffuser

Body color


Black, Dark Gray, Silver Gray

Certification

CE CB ETL SAA V-BUS BIS
ISO9001-2015 ISO14000 BSCI

E27
23W

IP65



	Lamp	A	B
GL19312	E27 23W	322	300
GL19313	E27 23W	400	300

Nevers

Patent

Copyright reserved

NEW
PRODUCT

1950 Series



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; PC; Diffuser

Body color


Black, Dark Gray, Silver Gray

Certification

CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

E27
23W

IP54



	Lamp	A	B	C
GL19501	E27 Max. 23W	85	85	400
GL19502	E27 Max. 23W	85	85	600
GL19503	E27 Max. 23W	85	85	800
GL19504	E27 Max. 23W	85	135	250
GL19504S	E27 Max. 23W	85	135	275

Issoudun



Patent

Copyright reserved

**NEW
PRODUCT**

1960 Series



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; PC; Diffuser

Body color


Black, Dark Gray, Silver Gray

Certification

CE CB    BIS
ISO9001-2015 ISO14000 

E27
23W

IP54



	Lamp	A	B	C
GL19601	E27 Max. 23W	600	175	175
GL19602	E27 Max. 23W	800	175	175
GL19603	E27 Max. 23W	1000	175	175
GL19604	E27 Max. 23W	406	175	209
GL19604S	E27 Max. 23W	406	175	209


Patent

Copyright reserved

**NEW
PRODUCT**

Nevers

1960 Series



Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Die-casting Aluminium; PC; Diffuser

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ENEC SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED 13W	TEMPERATURE 2700K - 6500K
MAX. 1200 LUMENS	IP65

	Lamp	Lumen	A	B	C
GL19605	LED 13W	1200LM	600	175	175
GL19606	LED 13W	1200LM	800	175	175
GL19607	LED 13W	1200LM	1000	175	175
GL19608	LED 13W	1200LM	406	175	209
GL19608S	LED 13W	1200LM	406	175	209

Issoudun

Patent

Copyright reserved

NEW
PRODUCT

1970 Series




Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Die-casting Aluminium; PC; Diffuser

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ENEC SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED 13 W	TEMPERATURE 2700K - 6500K
MAX. 1200 LUMENS	IP65



	Lamp	Lumen	A	B	C
GL19701	LED 13W	1200LM	1000	175	288
GL19702	LED 13W	1200LM	1400	175	288
GL19703	LED 13W	1200LM	301	175	239
GL19703S	LED 13W	1200LM	301	175	239




Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Die-casting Aluminium; PC: Diffuser

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ENEC SAA VDE BIS
ISO9001-2015 ISO14000 BSCI



	Lamp	A	B	C
GL19705	E27 Max. 23W	600	175	288
GL19706	E27 Max. 23W	800	175	288
GL19707	E27 Max. 23W	1000	175	288
GL19704	E27 Max. 23W	301	175	239
GL19704S	E27 Max. 23W	301	175	239

Issoudun

Patent

Copyright reserved

NEW
PRODUCT

1990 Series



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Aluminium extruded sections; Die-casting
Aluminium; PC

Body color

Black, Dark Gray, Silver Gray

Certification


CE CB ENEC SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED
7W

TEMPERATURE
2700K
6500K

MAX.
650
LUMENS

IP65



	Lamp	Lumen	A	B	C
GL19901	LED 7W	650LM	600	90	140
GL19902	LED 7W	650LM	800	90	140
GL19903	LED 7W	650LM	1000	90	140
GL19904	LED 7W	650LM	200	105	100
GL19904S	LED 7W	650LM	200	105	100

Patent

Copyright reserved

Herrera

1810 Series



Lighting Technology

Luminaires with GU10 lamp holder
fixed with energy saving lighting Max.20W

GU10
20W

IP65

Material

Die-casting Aluminium; Tempered Glass

Body color

Black, Dark Gray, Silver Gray

Certification


CE CB ETL

SAA

VDE

BIS

ISO9001-2015 ISO14000 BSCI




	Lamp	A	B	C
GL18101	GU10 Max. 20W	89	114	179
GL18102	GU10 Max. 20W	89	294	179

Patent

Copyright reserved

Faraon

18201



Lighting Technology

Luminaires with GU10 lamp holder
fixed with energy saving lighting Max.35W

GU10
35 W

IP65

Material

Die-casting Aluminium; Tempered Glass

Body color

Black, Dark Gray, Silver Gray

Certification



ISO9001-2015 ISO14000 BSCI

	Lamp	A	B	C
GL18201	GU10 Max. 35W	134	187	132

Soledad



18202



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; PC; Diffuser

Body color


Black, Dark Gray, Silver Gray

Certification

CE CB ETL SAA V-BUS BIS
ISO9001-2015 ISO14000 BSCI

LED
10W
TEMPERATURE
2700K
6500K

MAX.
1200
LUMENS
IP65



	Lamp	Lumen	A	B	C
GL18202	LED 10W	1200LM	240	129	56

Nolay



18203




Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Die-casting Aluminium; PC; Diffuser

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED 10 W	TEMPERATURE 2700K 6500K
MAX. 1200 LUMENS	IP65



	Lamp	Lumen	A	B	C
GL18203	LED 10W	1200LM	240	129	58

Imphy

Patent


Copyright reserved

18204



GL18204

GL18204S



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; PC; Diffuser

Body color

Black, Dark Gray, Silver Gray

Certification

CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED
13W
TEMPERATURE
2700K
6500K

MAX.
1200
LUMENS
IP65

	Lamp	Lumen	A	B	C
GL18204	LED 13W	1200LM	141	157	184
GL18204S	LED 13.5W	1200LM	141	157	184

Plagne

Patent

Copyright reserved

18205



Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Die-casting Aluminium; PC; Diffuser

Body color
Black, Dark Gray, Silver Gray


Certification
CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED
13W

TEMPERATURE
**2700K
6500K**

MAX.
**1200
LUMENS**

IP65



	Lamp	Lumen	A	B	C
GL18205	LED 13W	1200LM	155	182	160
GL18205S	LED 7W	650LM	155	182	171

Patent

Copyright reserved

Brenod

18207



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; PC; Diffuser

Body color

Black, Dark Gray, Silver Gray

Certification


CE CB ETL SAA V-BUS BIS
ISO9001-2015 ISO14000 BSCI

LED
13^W

TEMPERATURE
**2700K
6500K**

MAX.
1200
LUMENS

IP65




	Lamp	Lumen	A	B	C
GL18207	LED 13W	1200LM	265	139	90

Bibbena

Patent

Copyright reserved

18208



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; Tempered Glass

Body color

Black, Dark Gray, Silver Gray

Certification

CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED
11 W
TEMPERATURE
2700K
6500K

MAX.
1100
LUMENS
IP65


	Lamp	Lumen	A	B	C
GL18208	LED 11W	1000LM	210	46	210

Chairx

Patent

Copyright reserved

18209



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; Tempered Glass

Body color

Black, Dark Gray, Silver Gray

Certification

CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED
11 W
TEMPERATURE
2700K
6500K

MAX.
1100
LUMENS
IP65

	Lamp	Lumen	A	B	C
GL18209	LED 11W	1000LM	80	40	260

Tazna

Patent

Copyright reserved

1830 Series



Lighting Technology

Luminaires with E27 lamp holder
fixed with energy saving lighting Max.23W

Material

Aluminium extruded sections; Die-casting
Aluminium; PC


Body color

Black, Dark Gray, Silver Gray

Certification

CE CB SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

E27
23W
IP44



	Lamp	A	B	C
GL18301	E27 Max. 23W	90	90	300
GL18302	E27 Max. 23W	90	90	500
GL18303	E27 Max. 23W	90	90	800
GL18304	E27 Max. 23W	141	90	180

Atocha



1840 Series



Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Aluminium extruded sections; Die-casting
Aluminium; PC

Body color
Black, Dark Gray, Silver Gray


Certification
CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED
13W

TEMPERATURE
**2700K
6500K**

MAX.
**1200
LUMENS**

IP65



	Lamp	Lumen	A	B	C
GL18401	LED 13W	1200LM	195	140	300
GL18402	LED 13W	1200LM	195	140	500
GL18403	LED 13W	1200LM	195	140	800
GL18404	LED 13W	1200LM	165	140	150

Cerrillos



17101



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; PC; Diffuser

Body color

Black, Dark Gray, Silver Gray

Certification


CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED
13^W

TEMPERATURE
**2700K
6500K**

MAX.
**1200
LUMENS**

IP65



	Lamp	Lumen	A	B	C
GL17101	LED 13W	1200LM	232	135	70
GL17101S	LED 13.5W	1200LM	232	135	73

Tacnil

Patent

Copyright reserved

17102



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; PC; Diffuser

Body color


Black, Dark Gray, Silver Gray

Certification

CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED
10 W
TEMPERATURE
2700K
6500K

MAX.
850
LUMENS
IP65



	Lamp	Lumen	A	B	C
GL17102	LED 10W	850LM	125	137	50

Patent

Copyright reserved

Vedsted

17103



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; PC; Diffuser

Body color

Black, Dark Gray, Silver Gray

Certification


CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED
13^W

TEMPERATURE
**2700K
6500K**

MAX.
1200
LUMENS

IP65



	Lamp	Lumen	A	B	C
GL17103	LED 13W	1200LM	227	97	65

Genner

Patent

Copyright reserved

17104



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; PC; Diffuser

Body color


Black, Dark Gray, Silver Gray

Certification

CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED
13W
TEMPERATURE
2700K
6500K

MAX.
1200
LUMENS
IP65



	Lamp	Lumen	A	B	C
GL17104	LED 13W	1200LM	256	161	58
GL17104S	LED 13.5W	1200LM	256	161	69

Arrild





Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Die-casting Aluminium; PC; Diffuser

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED 13^W	TEMPERATURE 2700K - 6500K
MAX. 1200 LUMENS	IP65




	Lamp	Lumen	A	B	C
GL17105	LED 13W	1200LM	285	110	106
GL17105S	LED 13.5W	1200LM	285	110	106

Budos

Patent

Copyright reserved

17106/17107



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; PC; Diffuser

Body color



Black, Dark Gray, Silver Gray

Certification

CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED
13_W
TEMPERATURE
2700K
6500K

MAX.
1200
LUMENS
IP65



	Lamp	Lumen	A	B	C
GL17106	LED 7W	600LM	180	114	65
GL17107	LED 13W	1200LM	250	123	74

Patent

Copyright reserved

Broager

17201



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; PC; Diffuser

Body color


Black, Dark Gray, Silver Gray

Certification

CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED
13^W
TEMPERATURE
**2700K
6500K**

MAX.
1200
LUMENS
IP65



	Lamp	Lumen	A	B	C
GL17201	LED 13W	1200LM	265	107	76
GL17209	LED 7W	600LM	185	88	63

Boonind



17202



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; PC; Diffuser

Body color

Black, Dark Gray, Silver Gray

Certification


CE CB ETL SAA V-BUS BIS
ISO9001-2015 ISO14000 BSCI

LED
13^W

TEMPERATURE
**2700K
6500K**

MAX.
1200
LUMENS

IP65




	Lamp	Lumen	A	B	C
GL17202	LED 13W	1200LM	270	100	58

Harsted

Patent

Copyright reserved



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; PC; Diffuser

Body color

Black, Dark Gray, Silver Gray

Certification

CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED
13^W

TEMPERATURE
**2700K
6500K**

MAX.
**1200
LUMENS**

IP65

	Lamp	Lumen	A	B	C
GL17203	LED 13W	1200LM	223	130	105

Darvas

Patent

Copyright reserved

17206



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; PC; Diffuser


Body color

Black, Dark Gray, Silver Gray

Certification

CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED 10 W	TEMPERATURE 2700K - 6500K
MAX. 850 LUMENS	IP65



	Lamp	Lumen	A	B	C
GL17206	LED 10W	850LM	185	122	170

Hinderup

Patent

Copyright reserved


17208



GL17208



GL17208S



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; PC; Diffuser

Body color

Black, Dark Gray, Silver Gray

Certification

CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED
11 W
TEMPERATURE
2700K
6500K

MAX.
850
LUMENS
IP65

	Lamp	Lumen	A	B	C
GL17208	LED 10W	850LM	118	222	66
GL17208S	LED 11W	850LM	118	222	66

Dyrhus



17210



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; PC; Diffuser

Body color


Black, Dark Gray, Silver Gray

Certification

CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED
11 W
TEMPERATURE
2700K
6500K

MAX.
1000
LUMENS
IP65



	Lamp	Lumen	A	B	C
GL17210	LED 11W	1000LM	106	200	62

Burkal

Patent

Copyright reserved

17211





Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Die-casting Aluminium; PC; Diffuser

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI



	Lamp	Lumen	A	B	C
GL17211	LED 20W	2000LM	251	251	55

Dyrhus



17212



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; Tempered Glass


Body color

Black, Dark Gray, Silver Gray

Certification

CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED 7 W	TEMPERATURE 2700K 6500K
MAX. 500 LUMENS	IP65



	Lamp	Lumen	A	B	C
GL17212	LED 7W	500LM	82	86	137

Burkal

Patent
Copyright reserved

17301/17302



Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Die-casting Aluminium; Tempered Glass

Body color
Black, Dark Gray, Silver Gray


Certification
CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED
13^W

TEMPERATURE
**2700K
6500K**

MAX.
**1200
LUMENS**

IP65




	Lamp	Lumen	A	B	C
GL17301	LED 7W	600LM	162	90	96
GL17302	LED 13W	1200LM	200	90	96

Brebel

Patent

Copyright reserved



17303/17304





Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Die-casting Aluminium; Tempered Glass

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI



	Lamp	Lumen	A	B	C
GL17303	LED 7W	600LM	162	90	96
GL17304	LED 11W	1200LM	200	90	96

Steinfeld



1740 Series





Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Aluminium extruded sections; Die-casting
Aluminium; PC

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI




	Lamp	Lumen	A	B	C
GL17401	LED 11W	1000LM	166	166	300
GL17402	LED 11W	1000LM	166	166	500
GL17403	LED 11W	1000LM	166	166	800
GL17404	LED 11W	1000LM	147	147	210

Kosel

Patent

Copyright reserved

1750 Series



Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Aluminium extruded sections; Die-casting
Aluminium; PC

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED 13W	TEMPERATURE 2700K 6500K
MAX. 1200 LUMENS	IP54


	Lamp	Lumen	A	B	C
GL17501	LED 13W	1200LM	121	245	300
GL17502	LED 13W	1200LM	121	245	500
GL17503	LED 13W	1200LM	121	245	800

Thumby

Patent

Copyright reserved

1760 Series




Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Aluminium extruded sections; Die-casting
Aluminium; PC

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI



	Lamp	Lumen	A	B	C
GL17602	LED 13W	1200LM	167	500	111
GL17603	LED 13W	1200LM	167	800	111
GL17604	LED 9W	850LM	127	280	102

Achterwehr



1770 Series




Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Aluminium extruded sections; Die-casting
Aluminium; PC

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED 13W	TEMPERATURE 2700K 6500K
MAX. 1200 LUMENS	IP54



	Lamp	Lumen	A	B	C
GL17701	LED 13W	1200LM	230	300	159
GL17702	LED 13W	1200LM	230	500	159
GL17703	LED 13W	1200LM	230	800	159

Bovenau



16101/16102





Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Die-casting Aluminium; PC; Diffuser

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI



	Lamp	Lumen	A	B
GL16101	LED 20W	2000LM	250	265
	E27 23W			
GL16102	LED 13W	1200LM	150	160
	E27 23W			

Rovde

Patent
Copyright reserved

16103



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; PC; Diffuser

Body color



Black, Dark Gray, Silver Gray

Certification

CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED
10 W
TEMPERATURE
2700K
6500K

MAX.
1200
LUMENS
IP65



	Lamp	Lumen	A	B	C
GL16103	LED 10W	1200LM	230	60	55

Sypde



16104




Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Die-casting Aluminium; PC; Diffuser

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED 13^W	TEMPERATURE 2700K 6500K
MAX. 1200 LUMENS	IP65



	Lamp	Lumen	A	B	C
GL16104	LED 13W	1200LM	248	115	70

Norddal



16105



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; PC; Diffuser

Body color


Black, Dark Gray, Silver Gray

Certification

CE CB ETL SAA V-BUS BIS
ISO9001-2015 ISO14000 BSCI

LED
13_W
TEMPERATURE
2700K
6500K

MAX.
1200
LUMENS
IP65




	Lamp	Lumen	A	B	C
GL16105	LED 13W	1200LM	200	130	50

Stavang

Patent

Copyright reserved

16106



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; PC; Diffuser

Body color

Black, Dark Gray, Silver Gray

Certification

CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED
13^W

TEMPERATURE
**2700K
-
6500K**

MAX.
1100
LUMENS

IP65

	Lamp	Lumen	A	B	C
GL16106	LED 13W	1100LM	169	219	55

Inuvik



16107



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; PC; Diffuser

Body color


Black, Dark Gray, Silver Gray

Certification

CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED
10 W
TEMPERATURE
2700K
6500K

MAX.
1200
LUMENS
IP65



	Lamp	Lumen	A	B	C
GL16107	LED 10W	1200LM	175	202	40

Berdony

Patent
Copyright reserved

16108





Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Die-casting Aluminium; PC; Diffuser

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI




	Lamp	Lumen	A	B	C
GL16108	LED 7W	600LM	175	83	64

Olden



16201




Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Die-casting Aluminium; PC; Diffuser

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI



	Lamp	Lumen	A	B	C
GL16201	LED 20W	2000LM	250	250	50

Imanpa



1640 Series




Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Die-casting Aluminium; PC; Diffuser

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ENEC SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED 13W	TEMPERATURE 2700K 6500K
MAX. 1200 LUMENS	IP65



	Lamp	Lumen	A	B
GL16401	LED 13W	1200LM	120	300
GL16402	LED 13W	1200LM	120	500
GL16403	LED 13W	1200LM	120	800
GL16404	LED 13W	1200LM	138	250

Solborn



1650 Series





Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Aluminium Alloy; Diffuser PC

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA V-BUS BIS
ISO9001-2015 ISO14000 BSCI



	Lamp	A	B
GL16501	LED 13W	120	300
	E27 23W		
GL16502	LED 13W	120	500
	E27 23W		
GL16503	LED 13W	120	800
	E27 23W		
GL16504	LED 13W	120	250
	E27 23W		

Matre

Patent

Copyright reserved

1660 Series





Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Aluminium extruded sections; Die-casting
Aluminium; PC

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI



	Lamp	Lumen	A	B
GL16601	LED 13W	1200LM	300	150
GL16602	LED 13W	1200LM	500	150
GL16603	LED 13W	1200LM	800	150
GL16604	LED 13W	1200LM	160	150

Gnutz



15101




Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Die-casting Aluminium; PC; Diffuser

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED 10 W	TEMPERATURE 2700K 6500K
MAX. 1100 LUMENS	IP65



	Lamp	Lumen	A	B	C
GL15101	LED 10W	1100LM	240	120	45

Boehl



15102




Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Die-casting Aluminium; PC; Diffuser

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED 13 W	TEMPERATURE 2700K 6500K
MAX. 1200 LUMENS	IP65



	Lamp	Lumen	A	B	C
GL15102	LED 13W	1200LM	236	114	68

Borgund

Patent

Copyright reserved



15103



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; PC; Diffuser

Body color



Black, Dark Gray, Silver Gray

Certification

CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED
13W
TEMPERATURE
2700K
6500K

MAX.
1200
LUMENS
IP65



	Lamp	Lumen	A	B	C
GL15103	LED 13W	1200LM	200	200	180

Myrdal

Patent

Copyright reserved

15104



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; PC

Body color

Black, Dark Gray, Silver Gray

Certification


CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED
3.5W

TEMPERATURE
2700K
6500K

MAX.
160
LUMENS

IP65



	Lamp	Lumen	A	B	C
GL15104	LED 3.5W	160LM	120	120	52

Vestnes

15105



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material



Die-casting Aluminium; PC; Diffuser

Body color

Black, Dark Gray, Silver Gray

Certification

CE CB ETL SAA V-BUS BIS
ISO9001-2015 ISO14000 BSCI



	Lamp	Lumen	A	B	C
GL15105	LED 10W	900LM	230	80	33

Tomra



15106




Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Die-casting Aluminium; PC; Diffuser

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED 9 W	TEMPERATURE 2700K 6500K
MAX. 810 LUMENS	IP65



	Lamp	Lumen	A	B	C
GL15106	LED 9W	810LM	236	68	75

Vartdal



Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Die-casting Aluminium; PC; Diffuser

Body color
Black, Dark Gray, Silver Gray


Certification
CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED
13W

TEMPERATURE
2700K
6500K

MAX.
1200
LUMENS

IP65



	Lamp	Lumen	A	B	C
GL15107	LED 13W	1200LM	200	220	70

Patent

Copyright reserved

Vatldal




15108-15110



GL15108



GL15109



GL15110

Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; PC; Diffuser

Body color

Black, Dark Gray, Silver Gray

Certification


CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED
13^W

TEMPERATURE
**2700K
-
6500K**

MAX.
**1200
LUMENS**

IP65



	Lamp	Lumen	A	B	C
GL15108	LED 13W	1200LM	160	210	58
GL15109	LED 11W	1040LM	160	210	58
GL15110	LED 11W	1040LM	160	210	58

Stangvik

Patent

Copyright reserved

1520 Series





Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Die-casting Aluminium; PC

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ENEC SAA VDE BIS
ISO9001-2015 ISO14000 BSCI



	Lamp	Lumen	A	B	C	Beam angle
GL15201	LED 9W	800LM	134	56	152	10°/25°
GL15202	LED 9W	800LM	134	56	152	120°
GL15203	LED 9W	800LM	134	64	303	10°/25°
GL15204	LED 9W	800LM	134	64	303	120°

Heggen

Patent

Copyright reserved

1530 Series






Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Die-casting Aluminium; PC

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA V-BUS BIS
ISO9001-2015 ISO14000 BSCI



	Lamp	Lumen	A	B	C	Beam angle
GL15301	LED 13W	1300LM	200	56	152	10°/25°
GL15302	LED 13W	1300LM	200	56	152	120°
GL15303	LED 13W	1300LM	200	64	303	10°/25°
GL15304	LED 13W	1300LM	200	64	303	120°

Budal

Patent

Copyright reserved

1540 Series




Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Aluminium extruded sections; Die-casting
Aluminium; PC

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED 12.5W	TEMPERATURE 2700K 6500K
MAX. 1400 LUMENS	IP54



	Lamp	Lumen	A	B	C
GL15401	LED 10W	1000LM	75	300	156
GL15402	LED 12.5W	1400LM	75	500	156
GL15403	LED 12.5W	1400LM	75	800	156
GL15404	LED 10W	1000LM	105	250	156
GL15405	LED 10W	1000LM	105	280	156

Forbygda

Patent

Copyright reserved

1550 Series




Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Aluminium extruded sections; Die-casting
Aluminium; PC

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED 9 W	TEMPERATURE 2700K 6500K
MAX. 810 LUMENS	IP54



	Lamp	Lumen	A	B	C
GL15501	LED 9W	810LM	200	300	80
GL15502	LED 9W	810LM	200	500	80
GL15503	LED 9W	810LM	200	800	80
GL15504	LED 9W	810LM	200	112	80

Brekka

Patent

Copyright reserved

1560 Series





Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Aluminium extruded sections; Die-casting
Aluminium; PC

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI



	Lamp	Lumen	A	B
GL15601	LED 9W	810LM	90	300
GL15602	LED 9W	810LM	90	500
GL15603	LED 9W	810LM	90	800
GL15604	LED 9W	810LM	140	272

Asama

Patent

Copyright reserved

1570 Series





Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Aluminium extruded sections; Die-casting
Aluminium; PC

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI



	Lamp	Lumen	A	B
GL15701	LED 9W	810LM	100	300
GL15702	LED 9W	810LM	100	500
GL15703	LED 9W	810LM	100	800
GL15704	LED 9W	810LM	100	250

Sirkka



14101



Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
PC; Diffuser

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED 7 W	TEMPERATURE 2700K 6500K
MAX. 490 LUMENS	IP54



	Lamp	Lumen	A	B	C
GL14101	LED 7W	490LM	210	60	32

Sirkka

Patent
Copyright reserved

14105-14108



Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Die-casting Aluminium; PC; Diffuser

Body color
Black, Dark Gray, Silver Gray


Certification
CE CB ENEC SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED
13W

TEMPERATURE
2700K
6500K

MAX.
1020
LUMENS

IP54



	Lamp	Lumen	A	B	C
GL14105	LED 7W	550LM	160	100	86
GL14106	LED 13W	1020LM	242	149	129
GL14108	GX53 11W		242	149	129

Sirkka

Patent

Copyright reserved

14109-14111



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; PC; Diffuser

Body color


Black, Dark Gray, Silver Gray

Certification

CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

LED
13W
TEMPERATURE
2700K
6500K

MAX.
1020
LUMENS
IP54



	Lamp	Lumen	A	B	C
GL14109	LED 7W	550LM	160	100	184
GL14110	LED 13W	1020LM	242	149	239
GL14111	GX53 11W		242	149	239

Patent

Copyright reserved

Alcoba

14203





Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Aluminium extruded section;
Die-casting Aluminium; PC;
Tempered glass;

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI




	Lamp	Lumen	A	B
GL14203	LED 3.5W	320LM	106	157
GL14204	LED 7W	640LM	106	238


Malagon

Patent

Copyright reserved



14205



Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Aluminium extruded section;
Die-casting Aluminium; PC;
Tempered glass;

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ENEC SAA VDE BIS
ISO9001-2015 ISO14000 BSCI



	Lamp	Lumen	A	B
GL14205	LED 3.5W	320LM	106	157
GL14206	LED 7W	640LM	106	238
GL14207	GU10 35W		106	157
GL14208	GU10 2x35W		106	238

Yulara



1430 Series




Lighting Technology
Luminaires with E27/B22 lamp holder
fix with energy saving lightng Max. 18W

E27
18W
IP44

Material
Aluminium Alloy; Diffuser PC

Body color
Black, Dark Gray, Sliver Gray

Certification
CE CB ETL SAA V-BUS BIS
ISO9001-2015 ISO14000 BSCI



	Lamp	A	B
GL14301	E27 18W	70	300
GL14302	E27 18W	70	500
GL14303	E27 18W	70	800
GL14304	E27 18W	106	250

Munera

1430 Series





Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Aluminium extruded sections; Die-casting
Aluminium; PC

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI



	Lamp	Lumen	A	B
GL14305	LED 7W	520LM	70	300
GL14306	LED 7W	520LM	70	500
GL14307	LED 7W	520LM	70	800
GL14308	LED 7W	520LM	106	250

Patent

Copyright reserved

Minera

1430 Series





Lighting Technology
Luminaires with LED and PIR
with LED integral power supply unit

Material
Aluminium extruded sections; Die-casting
Aluminium; PC

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI



	Lamp	Lumen	A	B
GL14309	LED 7W	520LM	70	300
GL14310	LED 7W	520LM	70	500
GL14311	LED 7W	520LM	70	800
GL14312	LED 7W	520LM	106	250

Patent

Copyright reserved

Barrax

1440 Series





Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Aluminium extruded sections; Die-casting
Aluminium; PC

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ENEC SAA VDE BIS
ISO9001-2015 ISO14000 BSCI



	Lamp	Lumen	A	B
GL14401	LED 7W	520LM	70	300
GL14402	LED 7W	520LM	70	500
GL14403	LED 7W	520LM	70	800
GL14404	LED 7W	520LM	106	220



Design • Manufacturer • Led Outdoor lights

Patent

Copyright reserved

Alcaraz



1440 Series





Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Aluminium extruded sections;
Die-casting Aluminium; PC; Diffuser

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA VDE BIS
ISO9001-2008 ISO14000 BSCI



	Lamp	Lumen	A	B
GL14405	LED 7W	520LM	70	300
GL14406	LED 7W	520LM	70	500
GL14407	LED 7W	520LM	70	800
GL14408	LED 7W	520LM	106	220

Yeste



1450 Series




Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Aluminium extruded sections;
Die-casting Aluminium; PC; Diffuser

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA VDE BIS
ISO9001-2008 ISO14000 BSCI

LED 7W	TEMPERATURE 2700K 6500K
MAX. 520 LUMENS	IP54



	Lamp	Lumen	A	B
GL14501	LED 7W	520LM	110	300
GL14502	LED 7W	520LM	110	500
GL14503	LED 7W	520LM	110	800
GL14504	LED 7W	520LM	100	310

Patent

Copyright reserved

Cavalese

1460 Series





Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Aluminium extruded sections;
Die-casting Aluminium; PC; Diffuser

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ENEC SAA VDE BIS
ISO9001-2008 ISO14000 BSCI



	Lamp	Lumen	A	B	C
GL14601	LED 7W	520LM	126	300	132
GL14602	LED 7W	520LM	126	500	132
GL14603	LED 7W	520LM	126	800	132
GL14604	LED 7W	520LM	160	110	132

Requena



13101



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Aluminium extruded sections;
Die-casting Aluminium; Tempered Glass

Body color


Black, Dark Gray, Silver Gray

Certification

CE CB ENEC SAA VDE BIS
ISO9001-2008 ISO14000 BSCI

LED
7 W
TEMPERATURE
2700K
6500K


MAX.
540
LUMENS
IP54



	Lamp	Lumen	A	B	C
GL13101	LED 3.5W	260LM	150	60	58
GL13102	LED 7W	540LM	230	80	63

Papunya

13105/13106



Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Die-casting Aluminium; Tempered Glass

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA VDE BIS
ISO9001-2008 ISO14000 BSCI


LED 7W	TEMPERATURE 2700K 6500K
MAX. 540 LUMENS	IP54

	Lamp	Lumen	A	B	C
GL13105	LED 3.5W	260LM	82	100	43
GL13106	LED 7W	540LM	82	230	43

Villena



13107



Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Die-casting Aluminium; Tempered Glass

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA VDE BIS
ISO9001-2008 ISO14000 BSCI

LED 11 W	TEMPERATURE 2700K 6500K
MAX. 730 LUMENS	IP65

	Lamp	Lumen	A	B	C
GL13107	LED 11W	730LM	106	175	50

SantaPola

Patent
Copyright reserved



13201



Lighting Technology
Luminaires with LED
with LED integral power supply unit


Material
Aluminium extruded sections;
Die-casting Aluminium; Tempered Glass
Body color
Black, Dark Gray, Silver Gray

Certification

CE CB ENEC SAA VDE BIS
ISO9001-2008 ISO14000 BSCI

LED
7 W
TEMPERATURE
2700K
6500K

MAX.
570
LUMENS
IP54





	Lamp	Lumen	A	B
GL13201-A	LED 7W	570LM	138	44
GL13202-B	LED 7W	570LM	138	44
GL13203-C	LED 7W	380LM	138	44

Totana

Patent

Copyright reserved

13301



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Aluminium extruded sections;
Die-casting Aluminium; PC; Diffuser

Body color

Black, Dark Gray, Silver Gray

Certification

CE CB ENEC SAA VDE BIS
ISO9001-2008 ISO14000 BSCI

LED
7W

TEMPERATURE
2700K
6500K

MAX.
540
LUMENS

IP54

	Lamp	Lumen	A	B	C
GL13301	LED 7W	540LM	220	123	90
GL13302	LED 3.5W	270LM	148	89	58

Agordo

Patent

Copyright reserved

13305



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material



Die-casting Aluminium; PC; Diffuser

Body color

Black, Dark Gray, Silver Gray

Certification

CE CB ETL SAA VDE BIS
ISO9001-2008 ISO14000 BSCI



	Lamp	Lumen	A	B	C
GL13305	LED 13W	1200LM	250	98	90

Almeria



13306



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; PC; Diffuser

Body color

Black, Dark Gray, Silver Gray

Certification


CE CB ETL SAA V-BUS BIS
ISO9001-2008 ISO14000 BSCI

LED
13^W

TEMPERATURE
**2700K
6500K**

MAX.
**1200
LUMENS**

IP65



	Lamp	Lumen	A	B	C
GL13306	LED 13W	1200LM	250	98	90

Tijola

Patent

Copyright reserved

13307



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; PC; Diffuser


Body color

Black, Dark Gray, Silver Gray

Certification

CE CB ETL SAA VDE BIS
ISO9001-2008 ISO14000 BSCI

LED 13^W	TEMPERATURE 2700K — 6500K
MAX. 1200 LUMENS	IP65




	Lamp	Lumen	A	B	C
GL13307	LED 13W	1200LM	250	98	105

Tijola



1340 Series




Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Aluminium extruded sections;
Die-casting Aluminium;
Tempered glass

Body color
Black, Dark Gray, Silver Gray

Certification

CE CB ENEC SAA V-BUS BIS
ISO9001-2008 ISO14000 BSCI



	Lamp	Lumen	A	B	C
GL13403	LED 3.5W	320LM	65	170	92
GL13404	LED 7W	640LM	65	200	92

Tijola

1340 Series



Lighting Technology
Luminaires with LED
with LED integral power supply unit


Material
Aluminium extruded sections;
Die-casting Aluminium;
Tempered glass

Body color
Black, Dark Gray, Silver Gray

Certification

CE CB ENEC SAA V-BE BSC
ISO9001-2008 ISO14000 BSCI

LED 7W	TEMPERATURE 2700K 6500K
MAX. 640 LUMENS	IP54




	Lamp	Lumen	A	B	C
GL13405	LED 3.5W	320LM	65	170	92
GL13406	LED 7W	640LM	65	200	92

Carnew



1350 Series



Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Aluminium extruded sections;
Die-casting Aluminium;
Tempered glass

Body color
Black, Dark Gray, Silver Gray

Certification

CE CB ENEC SAA V-BUS BIS
ISO9001-2008 ISO14000 BSCI

LED 7 W	TEMPERATURE 2700K 6500K
MAX. 640 LUMENS	IP54


	Lamp	Lumen	A	B
GL13503	LED 3.5W	320LM	106	157
GL13504	LED 7W	640LM	106	238

Patent

Copyright reserved

Carnew

1350 Series




Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Aluminium extruded sections;
Die-casting Aluminium;
Tempered glass

Body color
Black, Dark Gray, Silver Gray

Certification

CE CB ENEC SAA V-BUS BIS
ISO9001-2008 ISO14000 BSCI



	Lamp	Lumen	A	B
GL13505	LED 3.5W	320LM	106	157
GL13506	LED 7W	640LM	106	238
GL13507	GU10 35W		106	157
GL13508	GU10 2×35W		106	238

Olvera

Patent

Copyright reserved

1360 Series



Lighting Technology

Luminaires with E27/B22 lamp holder fixed with energy saving lighting Max.18W

E27
18W

IP44

Material

Aluminium; PC; Diffuser

Body color

Black, Dark Gray, Silver Gray

Certification


CE CB ENEC

SAA

VDE

BIS

ISO9001-2008 ISO14000 BSCI



	Lamp	A	B
GL13601	E27 18W	72	300
GL13602	E27 18W	72	500
GL13603	E27 18W	72	800
GL13604	E27 18W	107	250

Villamartion



1370 Series



Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Aluminium extruded sections;
Die-casting Aluminium; PC; Diffuser

Body color
Black, Dark Gray, Sliver Gray


Certification
 CE CB ETL SAA VDE BIS
 ISO9001-2008 ISO14000 BSCI

LED
7W

TEMPERATURE
 2700K
 6500K

MAX.
520
 LUMENS

IP54



	Lamp	Lumen	A	B
GL13701	LED 7W	520LM	110	300
GL13702	LED 7W	520LM	110	500
GL13703	LED 7W	520LM	110	800
GL13704	LED 7W	520LM	107	200

Estepona

Patent

Copyright reserved

1380 Series





Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Aluminium extruded sections;
Die-casting Aluminium; PC; Diffuser

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ENEC SAA VDE BIS
ISO9001-2008 ISO14000 BSCI



	Lamp	Lumen	A	B
GL13801	LED 7W	520LM	183	300
GL13802	LED 7W	520LM	183	500
GL13803	LED 7W	520LM	183	800
GL13804	LED 7W	520LM	183	73

Marbella



1210 Series




Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Aluminium extruded sections;
Die-casting Aluminium; PC; Diffuser

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA V-BUS BIS
ISO9001-2008 ISO14000 BSCI

LED 7W	TEMPERATURE 2700K 6500K
MAX. 520 LUMENS	IP54




	Lamp	Lumen	A	B
GL12101	LED 7W	520LM	235	300
GL12102	LED 7W	520LM	235	500
GL12103	LED 7W	520LM	235	800
GL12104	LED 7W	520LM	235	250

Alcantium

Patent

Copyright reserved

1220 Series




Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Aluminium extruded sections;
Die-casting Aluminium; PC; Diffuser

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ENEC SAA VDE BIS
ISO9001-2008 ISO14000 BSCI




	Lamp	Lumen	A	B
GL12201	LED 9W	900LM	150	300
	GX53 11W		150	300
GL12202	LED 9W	900LM	150	500
	GX53 11W		150	500
GL12203	LED 9W	900LM	150	800
	GX53 11W		150	800

Patent

Copyright reserved

Alpha

1220 Series



Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Aluminium extruded sections;
Die-casting Aluminium; PC; Diffuser

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ENEC SAA VDE BIS
ISO9001-2008 ISO14000 BSCI

LED 9W	TEMPERATURE 2700K 6500K
MAX. 900 LUMENS	IP54

	Lamp	Lumen	A	B	C
GL12204	LED 9W	900LM	150	500	260
	GX53 11W		150	500	260
GL12205	LED 9W	900LM	150	800	560
	GX53 11W		150	800	560
GL12206	LED 9W	900LM	200	250	130
	GX53 11W		200	250	130
GL12207	LED 9W	900LM	150	200	100
	GX53 11W		150	200	100

Padona



1230 Series





Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Aluminium extruded sections;
Die-casting Aluminium; PC; Diffuser

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA V-BUS BIS
ISO9001-2008 ISO14000 BSCI



	Lamp	Lumen	A	B
GL12301	LED 9W	820LM	120	300
GL12302	LED 9W	820LM	120	500
GL12303	LED 9W	820LM	120	800

Padona

Patent
Copyright reserved



1230 Series




Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Aluminium extruded sections;
Die-casting Aluminium; PC; Diffuser

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA VDE BIS
ISO9001-2008 ISO14000 BSCI

LED 9W	TEMPERATURE 2700K 6500K
MAX. 820 LUMENS	IP54



	Lamp	Lumen	A	B	C
GL12304	LED 9W	820LM	120	500	260
GL12305	LED 9W	820LM	120	800	560
GL12306	LED 9W	820LM	170	200	100
GL12307	LED 9W	820LM	120	200	100

Colos

Patent

Copyright reserved

1240 Series



Lighting Technology

Luminaires with E27/B22 lamp holder fixed with energy saving lighting Max.23W

Material


Aluminium; PC; Diffuser

Body color

Black, Dark Gray, Silver Gray

Certification


CE CB ETL SAA V-BIS BIS
ISO9001-2008 ISO14000 BSCI



	Lamp	A	B
GL12401	E27 23W	120	300
GL12402	E27 23W	120	500
GL12403	E27 23W	120	800
GL12404	E27 23W	120	250

Canha

Patent
Copyright reserved



1250 Series




Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Aluminium extruded sections;
Die-casting Aluminium; PC; Diffuser

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA VDE BIS
ISO9001-2008 ISO14000 BSCI

LED
9W
TEMPERATURE
2700K
6500K
MAX.
770
LUMENS
IP54



	Lamp		Lumen	A	B
GL12501	LED 9W	Two side	770LM	120	300
GL12502	LED 9W	Two side	770LM	120	500
GL12503	LED 9W	Two side	770LM	120	800
GL12504	LED 9W	Two side	770LM	170	250
GL12505	LED 9W	Four side	770LM	120	300
GL12506	LED 9W	Four side	770LM	120	500
GL12507	LED 9W	Four side	770LM	120	800
GL12508	LED 9W	Four side	770LM	170	250

Ericeira

12602



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Aluminium extruded sections;
Die-casting Aluminium;
Tempered glass

Body color

Black, Dark Gray, Silver Gray

Certification


CE CB ENEC SAA V-BUS BIS
ISO9001-2008 ISO14000 BSCI

LED
13^W

TEMPERATURE
**2700K
6500K**

MAX.
1200
LUMENS

IP65



	Lamp	Lumen	A	B
GL12601	LED 7W	600LM	170	200
GL12602	LED 13W	1200LM	170	250

Patent

Copyright reserved

Hermagor

12604



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Aluminium extruded sections;
Die-casting Aluminium;
Tempered glass

Body color

Black, Dark Gray, Silver Gray

Certification


CE CB ENEC SAA V-BUS BIS
ISO9001-2008 ISO14000 BSCI

LED
13^W

TEMPERATURE
**2700K
6500K**

MAX.
**1200
LUMENS**

IP65



	Lamp	Lumen	A	B
GL12603	LED 7W	600LM	170	200
GL12604	LED 13W	1200LM	170	250

Gemona

Patent

Copyright reserved

1120 Series





Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Aluminium extruded sections;
Die-casting Aluminium; PC; Diffuser

Body color
Black, Dark Gray, Silver Gray


Certification
CE CB ETL SAA VDE BIS
ISO9001-2008 ISO14000 BSCI



	Lamp	Lumen	A	B
GL11201	LED 9W	820LM	125	300
	GX53 11W		125	300
GL11202	LED 9W	820LM	125	500
	GX53 11W		125	500
GL11203	LED 9W	820LM	125	800
	GX53 11W		125	800

Gemona

1120 Series



Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Die-casting Aluminium; PC; Diffuser

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB SAA VDE BIS
ISO9001-2008 ISO14000 BSCI

LED 9_W	TEMPERATURE 2700K 6500K
MAX. 820 LUMENS	IP54

	Lamp	Lumen	A	B	C
GL11204	LED 9W	820LM	125	500	260
	GX53 11W		125	500	260
GL11205	LED 9W	820LM	125	800	560
	GX53 11W		125	800	560
GL11206	LED 9W	820LM	170	200	100
	GX53 11W		170	200	100
GL11207	LED 69W	820LM	125	200	100
	GX53 11W		125	200	100

Patent

Copyright reserved

Oppeid



1130 Series



Lighting Technology

Luminaires with E27 or B22 lamp holder fixed with energy saving lighting Max.23W

Material


Aluminium alloy; Diffuser PC

Body color

Black, Dark Gray, Silver Gray

Certification

CE CB    BIS
ISO9001-2008 ISO14000 



	Lamp	A	B
GL11304	E27 23W	125	300
GL11305	E27 23W	125	500
GL11306	E27 23W	125	800
GL11307	E27 23W	170	250

Skutvid



1140 Series



Lighting Technology

Luminaires with E27 or B22 lamp holder fixed with energy saving lighting Max.23W



Material


Aluminium alloy; Diffuser PC

Body color

Black, Dark Gray, Silver Gray

Certification

CE CB ETL SAA VDE BIS
ISO9001-2008 ISO14000 BSCI



	Lamp	A	B
GL11401	E27 23W	175	300
GL11402	E27 23W	175	500
GL11403	E27 23W	175	800
GL11404	E27 23W	175	200

Skutvid



1140 Series



Lighting Technology

Luminaires with E27 or B22 lamp holder fixed with energy saving lighting Max.23W

E27
23W IP44

Material


Aluminium alloy; Diffuser PC

Body color

Black, Dark Gray, Silver Gray

Certification

CE CB ETL SAA V-BIS BIS
ISO9001-2008 ISO14000 BSCI



	Lamp	A	B
GL11405	E27 23W	175	300
GL11406	E27 23W	175	500
GL11407	E27 23W	175	800
GL11408	E27 23W	175	200

Patent

Copyright reserved

Torsken

1160 Series




Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Aluminium extruded sections;
Die-casting Aluminium; PC; Diffuser

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA VDE BIS
ISO9001-2008 ISO14000 BSCI

LED 7W	TEMPERATURE 2700K 6500K
MAX. 520 LUMENS	IP54



	Lamp	Lumen	A	B	C
GL11601	LED 7W	520LM	125	800	560
GL11602	LED 7W	520LM	125	800	360
GL11603	LED 7W	520LM	125	800	160

Torsken



1160 Series





Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Aluminium extruded sections;
Die-casting Aluminium; PC; Diffuser

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA VDE BIS
ISO9001-2008 ISO14000 BSCI



	Lamp	Lumen	A	B	C
GL11604	LED 7W	520LM	170	200	100
GL11605	LED 7W	520LM	125	500	400
GL11606	LED 7W	520LM	125	500	260
GL11607	LED 7W	520LM	125	500	160
GL11608	LED 7W	520LM	125	500	160
GL11609	LED 7W	520LM	125	300	130
GL116010	LED 7W	520LM	125	300	160

Warburton

WW1210 Series




WW12104



WW12105



WW12106



Lighting Technology
Luminaires with CREE LED
with LED integral power supply unit

Material
Die-casting Aluminium; PC

Body color
Black, Dark Gray, Silver Gray

Certification
CE CB ETL SAA V-BUS BIS
ISO9001-2008 ISO14000 BSCI

LED
3.5W
TEMPERATURE
2700K
6500K

MAX.
320
LUMENS
IP65

	Lamp	Lumen	A	B
WW12104	LED 3.5W	190LM	66	100
WW12105	LED 3.5W	300LM	66	100
WW12106	LED 3.5W	300LM	66	100

Lenora



WW1210 Series



WW12107

WW12108

WW12109

Lighting Technology

Luminaires with CREE LED
with LED integral power supply unit

Material

Die-casting Aluminium; PC


Body color

Black, Dark Gray, Silver Gray

Certification

CE CB ETL SAA VDE BIS
ISO9001-2008 ISO14000 BSCI


LED 3.5W	TEMPERATURE 2700K - 6500K
MAX. 320 LUMENS	IP65



	Lamp	Lumen	A	B	C
WW12107	LED 3.5W	190LM	66	100	278
WW12108	LED 3.5W	300LM	66	100	278
WW12109	LED 3.5W	300LM	66	100	278

Ardath

WW1210 Series



Lighting Technology
Luminaires with CREE LED
with LED integral power supply unit

Material
Die-casting Aluminium; PC

Body color
Black, Dark Gray, Silver Gray

Certification

 ISO9001-2008 ISO14000 BSCI

LED 3.5W	TEMPERATURE 2700K - 6500K
MAX. 320 LUMENS	IP65

	Lamp	Lumen	A	B	C
WW12110	LED 3.5W	190LM	66	100	110
WW12111	LED 3.5W	300LM	66	100	110
WW12112	LED 3.5W	300LM	66	100	110

Tolmezzo

WW1211 Series



Lighting Technology
Luminaires with LED
with LED integral power supply unit

Material
Die-casting Aluminium; Tempered glass
PC

Body color
Black, Dark Gray, Silver Gray


Certification
CE CB ENEC SAA VDE BIS
ISO9001-2008 ISO14000 BSCI

LED
7W

TEMPERATURE
**2700K
-
6500K**

MAX.
500
LUMENS

IP65



	Lamp	Lumen	A	B	C
WW12113	LED 7W	500LM	66	100	
WW12114	LED 7W	500LM	66	100	110
WW12115	LED 7W	500LM	66	100	278


Patent

Copyright reserved

Malbnitz

LA
SIRENA

WW1230



Lighting Technology

Luminaires with LED
with LED integral power supply unit

Material

Die-casting Aluminium; Tempered Glass

Body color

Black, Dark Gray, Silver Gray

Certification

CE CB ENEC SAA VDE BIS
ISO9001-2008 ISO14000 BSCI

LED
7
W

TEMPERATURE
2700K
6500K

MAX.
600
LUMENS

IP54

	Lamp	Lumen	A	B
WW12303	LED 7W	600LM	140	60
WW12304	LED 7W	600LM	140	60

Contact details

IINNO Ltd

Unit 7, 8/F., Tower B,
83 King Lam Street,
Lai Chi Kok, Kowloon,
Hong Kong

Tel: +852 2134 9906

+86 (0)769 23010151/2

M: +86 13922905402

Email: sales@iinno-lighting.com

www.iinno-lighting.com

